Extreme ISF® Process

The Extreme ISF® Process is a suite of chemical and chemical-mechanical surface finishing and polishing technologies capable of removing the extreme surface roughness and surface/near-surface defects inherent to metal AM components while simultaneously improving component performance and appearance.

The Extreme ISF[®] Process is comprised of two primary process technologies: Chemical Polishing (CP) and Chemical-Mechanical Polishing (CMP). CP and CMP can be used individually or in combination, and are compatible with a wide range of component geometries including lattice structures and complex internal passages (ex. rocket nozzle cooling channels). REM's unique chemically assisted technology is also better able to preserve component features than abrasive or electrochemical processes.

REM'S EXTREME ISF® Benefits:

- Reduce roughness/waviness
- Remove powder/eliminate FOD
- Remove oxide layers
- Remove support structures
- Increase dynamic fatigue life
- Increase corrosion resistance
- Increase tensile strength
- Increase cleanliness
- Improve flow performance
- Reduce pressure drop

REM Extreme ISF[®] Processes can meet specific material removal targets, with the capability to hold tolerances up to +/- 0.0001" (~2.5 µm). REM's process technology can produce surface finishes <4 µin (0.1 µm) Ra, can be used to produce commonly specified legacy component surfaces [ex. <125 µin (3.2 µm)], or can preserve roughness in the form of waviness while eliminating powder from a surface.

REM'S EXTREME ISF® Alloy Capabilities Include:

Aluminum Alloys

Copper Alloys

- Bulk Metallic Glass Alloys
- Steel AlloysTitanium Alloys

Stainless Steel Alloys

- Nickel AlloysNickel-Chrome Superalloys
 - 500 µm

The Extreme ISF[®] Process is a robust process technology that is scalable and available via outsourced processing or as a technology installation.


REM QMS is certified to ISO 9001:2015 & AS9100:2016 Rev D ISF® and REM logo are registered trademarks of REM Surface Engineering. All rights reserved.



Contact us today to learn more or to Start a Project.

Ramp System™ H+ Series

Extreme ISF® Process Cell




The Ramp System[™] H+ Series Extreme ISF[®] Process Cell is designed for use on small to medium sized metal parts and is capable of meeting moderate production polishing demands.

Features:

- Compact Centrifugal Disc System high efficiency processing
- PLC/Touchscreen Control process recipe storage & fully automated processing
- Process Monitoring Sensors reliable, unattended processing
- Extreme ISF® Dosing Panel automated process consumable delivery
- Ultrasonic Cleaner (included)

Requirements:

- Power 230V / 3 Ph / 13A
- Compressed Air 50 PSI, 12 CFM
- Water 30 PSI
- Footprint ~56 x 37 x 74" (1420 x 940 x 1880 mm)



The Ramp System[™] H+ Series is available for order today.

REM QMS is certified to ISO 9001:2015 & AS9100:2016 Rev D ISF® and REM logo are registered trademarks of REM Surface Engineering. All rights reserved.



Contact us at inquires@remchem.com for pricing and lead-time

Ramp System™ L+ Series

Extreme ISF[®] Process Cell


The Ramp System[™] L+ Series Extreme ISF[®] Process Cell is designed for medium to moderately sized metal parts and is capable of meeting moderate production polishing demands.

Features:

- Medium Size Vibratory Bowl System broad part geometry compatibility Power 230V / 3 Ph
- PLC/Touchscreen Control process recipe storage & fully automated processing
- Process Monitoring Sensors reliable, unattended processing
- Extreme ISF[®] Dosing Panel automated process consumable delivery

Requirements:

- - Compressed Air 50 PSI, 12 CFM
 - Water 30 PSI
 - · Footprint varies based on bowl size selection





The Ramp System[™] L+ Series is available for order today.

REM QMS is certified to ISO 9001:2015 & AS9100:2016 Rev D ISF® and REM logo are registered trademarks of REM Surface Engineering. All rights reserved.



Contact us at inquires@remchem.com for pricing and lead-time

Entry System™ L+ Series Extreme ISF[®] Process Cell

The Entry System[™] L+ Series Extreme ISF[®] Process Cell is designed for use on small to medium sized metal parts and is capable of meeting low volume prototyping or production demands as an efficient and flexible polishing system.

Features

- Compact Vibratory Bowl System gentle polishing process
- PLC/Touchscreen Control process recipe storage & fully automated processing
- Process Monitoring Sensors reliable, unattended processing
- Extreme ISF[®] Dosing Panel automated process consumable delivery

Requirements

- Power 230V / 3 Ph / 13A
- Compressed Air 50 PSI, 12 CFM
- Water 30 PSI
- Footprint ~56 x 37 x 74" (1420 x 940 x 1880 mm)









The Entry System[™] L+ Series is available for order today.

REM QMS is certified to ISO 9001:2015 &AS9100:2016 Rev D ISF® and REM logo are registered trademarks of REM Surface Engineering. All rights reserved.



Contact us at inquires@remchem.com for pricing and lead-time

Chemical Polishing

Extreme ISF® Process Cell

REM's Extreme ISF[®] CP Cells[™] are designed to meet your specific alloy and component processing needs. A CP Cell can be designed for a single alloy or for a range of alloys, and with multiple sizes, configurations and part handling applications REM's CP Cells are able to meet all varieties of processing needs.

Features

- Processing Enclosure with Exterior Loading/Unloading
- Multiple Tank System
- X-Z Gantry System
- PLC/Touchscreen Control process recipe storage
- Temperature Monitoring/Control
- Process Monitoring Sensors
- Extreme ISF® Dosing Panel automated process consumable delivery


Optional Add-Ons

- CP Flow Through Capability
- Alternate Processing/Work Holding Capabilities

Requirements

- Power 480V & 240V / 3 ph
- Compressed Air 90 PSI, 5 CFM
- Water optional/recommended
- Footprint varies/flexible

A6061-RAM2 Honeycomb Lattice





REM QMS is certified to ISO 9001:2015 & AS9100:2016 Rev D ISF® and REM logo are registered trademarks of REM Surface Engineering. All rights reserved.



Contact us at inquires@remchem.com for pricing and lead-time



About REM

REM Surface Engineering is a global technology leader in providing surface engineering and polishing solutions to metal components. REM is the inventors of the ISF® Process, the Rapid ISF® Process, the Extreme ISF® Process and the REM® Process. These chemically assisted/accelerated processes are value-adding and performance-enhancing isotropic superfinishing technologies that offer unmatched benefits as compared to traditional machining, abrasive, or electrochemical processes.

REM's technologies are used on many of the most demanding applications including over 70 major aerospace platforms as well as multiple lunar and Martian rover missions. REM's technologies have been installed in hundreds of customer sites across North America, Europe, South America, Asia, Africa and Australia. All REM facilities are ISO9100 and AS9100 certified, and with over 55 years in business, REM has the capabilities, expertise, and experience to meet almost any surface finishing challenge. REM is a third generation, family-owned business. We treat our customers as partners, and we commonly have ongoing business relationships that span multiple decades. Our focus is always to provide our customers solutions that meet or exceed their needs and expectations.

With three US sites, one UK Site and global distribution capabilities, REM is ready and able to support your surface finishing installation needs wherever they exist.



REM Surface Engineering

325 W Queen Street Southington, CT 06489 USA Phone: (860) 621-6755 Fax: (860) 621-8822 Email: sales@remchem.com

REM Surface Engineering

2107 Longwood Drive Brenham, TX 77833 USA Phone: (979) 277-9703 Fax: (979) 277-0309 Email: sales@remchem.com

REM Surface Engineering

8912 Mississippi Street Merrillville, IN 46410 USA Phone: (860) 736-1477 Email: sales@remchem.com

REM Surface Engineering, GmbH.

Siemensring 68d D-47877 Willich, DE Phone: +49 2154 82070-0 Email: sales-eu@remchem.com



REM QMS is certified to ISO 9001:2015 & AS9100:2016 Rev D ISF® and REM logo are registered trademarks of REM Surface Engineering. All rights reserved.



Contact us at inquires@remchem.com for pricing and lead-time